




ICP-TB-14

APPLICATIONS

The EMToughBox is the perfect Plug&Play system solution, specially designed for FANLESS applications.

- ▶ Industrial Control and Automation
- ▶ Measurement and Control
- ▶ Medical
- ▶ Infotainment
- ▶ Mobile Applications



ICP-TB-14

FEATURES

- ▶ Powered by proven Intel® technology
- ▶ Supporting Intel® Atom™ processors and chipsets for commercial or industrial temperature grade
- ▶ Allows simultaneous use of UMTS and WLAN for extended router applications
- ▶ Supports up to 2GB DDR2 Memory
- ▶ Control function IEC61131-3 CoDeSys V3.xx
- ▶ Design, Production and Support "Made in Germany"

BENEFITS

- ▶ Low emission, high immunity
- ▶ Long term availability
- ▶ Free of rotating parts
- ▶ Full software compatibility
- ▶ Rugged & reliable choice for demanding embedded applications
- ▶ Small installation depth
- ▶ Integration- and application-services, trainings





ICP-TB-14

EM Tough Control

OVERVIEW

The **EMToughBox** is powered by proven technology, including Intel® Atom™ Processors up to 1,6 GHz. An optional wireless module supporting GPRS, EDGE, UMTS and HSDPA is available and at the same time a optional Wireless LAN module can be used.

SPECIFICATION SUMMARY

- ▶ Fanless operation
- ▶ Five Gigabit Ethernet Port
- ▶ WLAN Option
- ▶ UMTS Modem Option with SIM card reader
- ▶ Extended Temperature Option

SPECIFICATIONS

CPU Commercial temperature version: Intel® Atom™ processor Z510P 1.1 GHz - 512 KB cache Intel® Atom™ processor Z530P 1.6 GHz - 512 KB cache Industrial temperature version: Intel® Atom™ processor Z510PT 1.1 GHz - 512 KB cache	WIRELESS Yes, GPRS/EDGE/UMTS/HSD-PA module (Option)	POWER INPUT 8V-32V DC
CHIPSET Commercial temperature version: Intel® System Controller Hub US15WP Industrial temperature version: Intel® System Controller Hub US15WPT	USB CLIENT PORT Yes, miniUSB Type B (5-pin) Connector	EMI SHIELDING Yes CE, other upon request
MAX. MEMORY 1GB DDR2 RAM (Default) 2GB DDR2 RAM (Option)	USB HOST PORTS 2x USB 2.0 Host Ports Type A	SIZE 185 mm x 135 mm x 30 mm (L x W x H)
BIOS UEFI-BIOS	CAN BUS Yes, 9-pin female D-SUB Connector	WEIGHT Approx 500 grams
1 GBIT ETHERNET Five Gigabit Ethernet ports	SERIAL PORT Yes, 9-pin male D-SUB Connector	CASE Aluminium diecast
WLAN Yes, 802.11 b/g (Option)	DVI-D PORT Yes	MOUNTING DIN Rail Mounting, others on request
	INDUSTRIAL FLASH DISK 2GB industrial flash disk (Option) 4GB industrial flash disk (Default)	TEMPERATURE RANGE Commercial temperature version: FANLESS Operation: 0°C to +60°C ambient Storage: -40°C to +85°C ambient Industrial temperature version: FANLESS Operation: -40°C to +85°C ambient Storage: -40°C to +100°C ambient
	FANLESS Designed for fanless operation	HUMIDITY Max. rel. humidity of atmosphere non condensing Working up to 75% Storage up to 95%
	CONTROL FUNCTION IEC61131-3 CoDeSys V3.xx	
	OS SUPPORT Microsoft Windows® XP Embedded	
	MONITORING AND MANAGEMENT Hardware Monitoring and Watchdog	



EMTrust GmbH Headquarters
Gewerbering 1
85258 Weichs
Germany

Tel.: +49 8136 80 677-800
Fax: +49 8136 80 677-809
sales@emtrust.de
www.emtrust.de

EMTrust GmbH Office Kempten
Poststrasse 27
87439 Kempten
Germany

Tel.: +49 831 5753389-51
Fax: +49 831 5753389-99
sales@emtrust.de
www.emtrust.de

Trucomp, Inc.

11555 Heron Bay Blvd
Suite 200
Coral Springs, FL 33076, USA

Phone +1 954 603-0582
Fax +1 954 603-0581
sales@trucompusa.com
www.trucompusa.com

The information contained in this document has been carefully checked and is believed to be reliable. However, EMTrust GmbH makes no guarantee or warranty concerning the accuracy of said information and shall not be responsible for any loss or damage of what ever nature resulting from the use of, or reliance upon, it. EMTrust does not guarantee that the use of any information contained herein will not infringe upon the patent, trademark, copyright or other rights of third parties, and no patent or other license is implied hereby. Intel and Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

This document does not in any way extend EMTrust's warranty on any product beyond that set forth in its standard terms and conditions of sale. EMTrust reserves the right to make changes in the products or specifications, or both, presented in this publication at any time and without notice.

LIFE SUPPORT APPLICATIONS

EMTrust's products are not intended for use as critical components in life support appliances, devices or systems in which the failure of a EMTrust product to perform could be expected to result in personal injury. All mentioned trademarks are registered trademarks of their owner.

© 2011 EMTrust GmbH. All rights reserved. Rev. 1.2 / 17.02.2011